

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



Revision date: 16.07.2018

Page 1 of 7

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Colourlock Luminous Colour Orange

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Leather treatment products

### 1.3. Details of the supplier of the safety data sheet

Company name:	LEDERZENTRUM GmbH	
Street:	Raiffeisenstrasse 1	
Place:	N-37124 Rosdorf	
Telephone:	+49 (0)551 770730	Telefax: +49 (0)551 7707322
e-mail:	Info@lederzentrum.de	
Contact person:	Karin Oberdiek	Telephone: +49 (0)551 77073241
e-mail:	ko@lederzentrum.de	
Internet:	www.lederzentrum.de	

### 1.4. Emergency telephone number:

Outside USA: 0049 700 24112112 (24h)  
Inside USA: 011 49 700 24112112 (24h)

#### Further Information

Professional uses

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

### 2.2. Label elements

#### Regulation (EC) No. 1272/2008

#### Special labelling of certain mixtures

EUH208	Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol, 1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



Revision date: 16.07.2018

Page 2 of 7

## Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
112926-00-8	Silicon dioxide			< 1 %
	601-214-2			
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one			< 0.1 %
	220-120-9	613-088-00-6		
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1; H302 H315 H318 H317 H400			
55406-53-6	3-iodo-2-propynyl butylcarbamate; 3-iodoprop-2-yn-1-yl butylcarbamate			< 0.1 %
	259-627-5	616-212-00-7		
	Acute Tox. 3, Acute Tox. 4, STOT RE 1, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 1 (M-Factor = 1); H331 H302 H372 H318 H317 H400 H410			
2682-20-4	2-methyl-2H-isothiazol-3-one (MIT)			< 0.1 %
	220-239-6			
	Acute Tox. 2, Acute Tox. 3, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1 (M-Factor = 1), Aquatic Chronic 2; H330 H301 H314 H318 H317 H400 H411			
55965-84-9	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)			< 0.1 %
	-	613-167-00-5		
	Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H331 H311 H301 H314 H317 H400 H410			

Full text of H and EUH statements: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air.

#### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Observe risk of aspiration if vomiting occurs. When in doubt or if symptoms are observed, get medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



Revision date: 16.07.2018

Page 3 of 7

## Unsuitable extinguishing media

Full water jet

## **5.2. Special hazards arising from the substance or mixture**

In case of fire may be liberated: Gases/vapours, irritant

## **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

## **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protection equipment.

### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

### **6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

#### **Advice on safe handling**

No special measures are necessary.

#### **Advice on protection against fire and explosion**

No special fire protection measures are necessary.

### **7.2. Conditions for safe storage, including any incompatibilities**

#### **Requirements for storage rooms and vessels**

Keep container tightly closed.

#### **Advice on storage compatibility**

No special measures are necessary.

#### **Further information on storage conditions**

storage temperature +6°C - +30°C

## **SECTION 8: Exposure controls/personal protection**

### **8.1. Control parameters**

### **8.2. Exposure controls**

#### **Protective and hygiene measures**

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

#### **Eye/face protection**

Eye protection: not required.

#### **Hand protection**

Disposable gloves

#### **Skin protection**

Body protection: not required.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



Revision date: 16.07.2018

Page 4 of 7

## Respiratory protection

Usually no personal respirative protection necessary.

In case of inadequate ventilation wear respiratory protection. Combination filtering device (EN 14387)

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid  
Colour: orange  
Odour: characteristic

#### Test method

pH-Value (at 20 °C): 7

### Changes in the physical state

Melting point: not determined  
Initial boiling point and boiling range: 100 °C  
Flash point: not determined

### Flammability

Solid: not applicable  
Gas: not applicable

Lower explosion limits: not determined

Upper explosion limits: not determined

### Auto-ignition temperature

Solid: not applicable  
Gas: not applicable

Decomposition temperature: not determined

Vapour pressure: not determined

Vapour pressure: not determined

Density (at 20 °C): 1 g/cm<sup>3</sup>

Partition coefficient: not determined

Vapour density: not determined

Evaporation rate: not determined

### 9.2. Other information

Solid content: not determined

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

none

### 10.5. Incompatible materials

No information available.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



Revision date: 16.07.2018

Page 5 of 7

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one				
	oral	ATE 500 mg/kg			
55406-53-6	3-iodo-2-propynyl butylcarbamate; 3-iodoprop-2-yn-1-yl butylcarbamate				
	oral	ATE 500 mg/kg			
	inhalative vapour	ATE 3 mg/l			
	inhalative aerosol	ATE 0,5 mg/l			
2682-20-4	2-methyl-2H-isothiazol-3-one (MIT)				
	oral	ATE 100 mg/kg			
	inhalative vapour	ATE 0,5 mg/l			
	inhalative aerosol	ATE 0,05 mg/l			
55965-84-9	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)				
	oral	ATE 100 mg/kg			
	dermal	ATE 300 mg/kg			
	inhalative vapour	ATE 3 mg/l			
	inhalative aerosol	ATE 0,5 mg/l			

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### 12.1. Toxicity

The product is not: Ecotoxic.

### 12.2. Persistence and degradability

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



Revision date: 16.07.2018

Page 6 of 7

The product has not been tested.

### **12.3. Bioaccumulative potential**

The product has not been tested.

### **12.4. Mobility in soil**

The product has not been tested.

### **12.5. Results of PBT and vPvB assessment**

The product has not been tested.

### **12.6. Other adverse effects**

No information available.

### **Further information**

Avoid release to the environment.

## **SECTION 13: Disposal considerations**

### **13.1. Waste treatment methods**

#### **Waste disposal number of waste from residues/unused products**

200128 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); paint, inks, adhesives and resins other than those mentioned in 20 01 27

#### **Waste disposal number of used product**

200128 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); paint, inks, adhesives and resins other than those mentioned in 20 01 27

#### **Waste disposal number of contaminated packaging**

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

## **SECTION 14: Transport information**

### **Land transport (ADR/RID)**

#### **Other applicable information (land transport)**

No dangerous good in sense of these transport regulations.

### **Inland waterways transport (ADN)**

#### **Other applicable information (inland waterways transport)**

No dangerous good in sense of these transport regulations.

### **Marine transport (IMDG)**

#### **Other applicable information (marine transport)**

No dangerous good in sense of these transport regulations.

### **Air transport (ICAO-TI/IATA-DGR)**

#### **Other applicable information (air transport)**

No dangerous good in sense of these transport regulations.

## **SECTION 15: Regulatory information**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### **EU regulatory information**

2004/42/EC (VOC): 0,606 % (6,055 g/l)

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



Revision date: 16.07.2018

Page 7 of 7

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

## National regulatory information

Water contaminating class (D): - - not water contaminating

## Additional information

VOC-Anteil (CH): 0%

## SECTION 16: Other information

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%

### Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH208	Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol, 1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

### Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*